

Printing date 18.05.2015

Version number 303

Revision: 15.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Kaminscheibenreiniger-Spray E-COLL

- · Article number: 4317784499903
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Cleaning material/ Detergent

 \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



H315 Eye Irrit. 2 H319

Causes skin irritation. Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P211 Do not spray on an open flame or other ignition source.



Version number 303

Revision: 15.05.2015

Trade name: Kaminscheibenreiniger-Spray E-COLL

	(Contd. of page 1)
P280	Wear protective gloves / eye protection.
P271	Use only outdoors or in a well-ventilated area.
P410+P4	12 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additiona	al information:
	ed container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not burn, even after use.
Do not sµ smoking.	pray on a naked flame or any incandescent material. Keep away from sources of ignition - No
• 2.3 Other	hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1, H220; Press. Gas C, H280	2.5-10%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide Skin Corr. 1A, H314	< 1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

15 % or over but less than 30 %

aliphatic hydrocarbons

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB



Version number 303

Revision: 15.05.2015

Trade name: Kaminscheibenreiniger-Spray E-COLL

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Open and handle receptacle with care. Use only in well ventilated areas.

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location.
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed.
- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

(Contd. on page 4)

GB



Version number 303

Revision: 15.05.2015

Trade name: Kaminscheibenreiniger-Spray E-COLL

	(Contd. of page 3)
1310-73-2 sodium hydroxide	
WEL Short-term value: 2 mg/m ³	
Additional information: The lists valid during the making were used as basis.	
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Do not inhale gases / fumes / aerosols.	
Avoid contact with the skin.	
Avoid contact with the eyes.	
Respiratory protection:	
Use suitable respiratory protective device in case of insufficient ventilation.	
Filter A/P2	
Protection of hands:	
Protective gloves	
Recommendation: protective gloves	
Material of gloves	
Nitrile rubber, NBR	
Recommended thickness of the material: ≥ 0.4 mm	
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protect observed.	tive gloves and has to be
Eye protection:	



Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information		
Appearance:		
Form:	Aerosol	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	365 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	

- GB -



Version number 303

Revision: 15.05.2015

Trade name: Kaminscheibenreiniger-Spray E-COLL

		(Contd. of page 4
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapour pressure at 20 •C:	23 hPa	
· Density at 20 •C:	0.895 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<i>VOC (EC) %</i>	140.0 g/l	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB



Version number 303

Revision: 15.05.2015

(Contd. of page 5)

Trade name: Kaminscheibenreiniger-Spray E-COLL

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

16 05 04* gases in pressure containers (including halons) containing dangerous substances

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	UN1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
Danger code (Kemler):	-	
EMS Number:	F- D , S - U	



Version number 303

Revision: 15.05.2015

Trade name: Kaminscheibenreiniger-Spray E-COLL

		(Contd. of page 6)
· 14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	e x II of Not applicable.	
· Transport/Additional information:		
·ADR		
· Limited quantities (LQ)	1L	
· Transport category	2	
• Tunnel restriction code	D	
· UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1	

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Extremely flammable gas. Contains gas under pressure; may explode if heated. Causes severe skin burns and eye damage. tment issuing MSDS: Product safety department	
Causes severe skin burns and eye damage.	
t ment issuing MSDS: Product safety department	
ct: Head of Product Safety Department	
viations and acronyms:	
ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Inte	rnationa
e of Dangerous Goods by Road)	
International Maritime Code for Dangerous Goods	
nternational Air Transport Association	
lobally Harmonised System of Classification and Labelling of Chemicals	
S: European Inventory of Existing Commercial Chemical Substances	
E European List of Notified Chemical Substances	
hemical Abstracts Service (division of the American Chemical Society)	
olatile Organic Compounds (USA, EU)	
as 1: Flammable gases, Hazard Category 1	
erosol 1: Flammable aerosols, Hazard Category 1	
Gas C: Gases under pressure: Compressed gas	
rr. 1A: Skin corrosion/irritation, Hazard Category 1A	
it. 2: Skin corrosion/irritation, Hazard Category 2	
t. 2: Serious eye damage/eye irritation, Hazard Category 2	